

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S20	1	"20040131191".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/03 08:36
S21	61	ibe same public same private	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/03 08:36
S22	69	ibe same public same private	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/03 08:36
S23	2	@ad<"20020705" and ibe same public same private	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/03 08:37
S24	88	@ad<"20020705" and ((identity identifier) adj2 encryption) AND (public same private same generat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/03 08:37
S25	3	@ad<"20020705" and ((identity identifier) adj2 encryption) AND (public same private same generat\$3) and ((multipl\$5 plural\$3) near2 (ta authority trusted))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/07 14:14
S26	0	@ad<"20020705" and ((identity identifier) adj based adj encryption) AND (public same (private NEAR2 generat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/03 08:41
S27	2	@ad<"20020705" and ((identity identifier) adj based adj encryption) AND ((private NEAR2 generat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/04 11:04
S28	0	@ad<"20020705" and ((identity identifier) adj based adj encryption) AND ((private NEAR2 generat\$3))	US-PGPUB	OR	ON	2007/05/04 11:04
S29	1	"20030179885".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/04 12:25
S30	1944	(identi\$5 adj based) and processor and generator	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/04 12:27
S31	861	@ad<"20020705" and (identi\$5 adj based) and processor and generator	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/04 12:28

EAST Search History

S34	1	@ad<"20020705" and (identi\$5 adj based adj \$2crypt\$7) and processor and (key near2 generator)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/04 12:29
S36	1	"20030179885".pn.	US-PGPUB; USPAT	OR	ON	2007/05/07 09:04
S37	7	boneh.in. and identity	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 13:58
S38	41	((LIQUN) near2 (CHEN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 14:06
S39	3	((DAVID) near2 (SOLDERA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 14:06
S40	73	((KEITH) near2 (HARRISON)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 14:06
S41	135	((KEITH) near2 (HARRISON)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/07 14:06
S42	5	((DAVID) near2 (SOLDERA)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/07 14:06
S43	75	((LIQUN) near2 (CHEN)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/07 14:06
S44	169	S41 S42 S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:06
S45	63	S44 and (public adj (key parameter))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:07
S46	21	S44 and (public adj (key parameter)) and elliptic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:07
S47	20	S44 and (public adj (key parameter)) and elliptic and weil	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:11
S48	12	S44 and (weil tate).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:12
S49	6	S44 and (weil tate).clm. and identity.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:12

EAST Search History

S50	1	@ad<"20020705" and ((identity identifier) adj2 encryption) and (bilinear near3 encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/07 14:14
S51	0	@ad<"20020705" and ((identity identifier) adj2 encryption) and (bilinear near3 encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:15
S52	25	@ad<"20020705" and ((identity identifier) adj2 encryption) and (trusted same secret)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:16
S53	14	@ad<"20020705" and ((identity identifier) adj2 encryption) and (trusted same secret same (public adj key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:16

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1249	380/30.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:42
L2	251	380/286.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:43
L3	856	380/44.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 14:43

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 7 May 2007, 2:19:47 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((bilinear <and> encrypt)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)
- #2 (((bilinear <and> public)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)
- #3 (((weil <or> tate) <and> pairing <and> encryption) <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)

Indexed by

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

bilinear pairing encryption

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **72,000** for **bilinear pairing encryption**. (0.13 seconds)**[PDF] Identity-Based Encryption from the Weil Pairing**File Format: PDF/Adobe Acrobat - [View as HTML](#)Our identity-based **encryption** scheme is presented. in Section 4 using general **bilinear** maps. Then a concrete identity based system from the Weil **pairing** is ...crypto.stanford.edu/~dabo/papers/ibe.pdf - [Similar pages](#)**[PDF] An ID-Based Broadcast Encryption Scheme for Key Distribution**

File Format: PDF/Adobe Acrobat

cryption scheme from **bilinear pairings** is based on a variant of the. Boneh-Franklin identity based **encryption** scheme. Index Terms—**Bilinear pairing**, ...

ieeexplore.ieee.org/iel5/11/26766/101109TBC2005847600.pdf?

arnumber=101109TBC2005847600 - [Similar pages](#)**[PDF] Efficient identity-based multicast scheme from bilinear pairing**

File Format: PDF/Adobe Acrobat

holds a key **encryption** key (KEK). The leaves of the tree. correspond to the group members. ... based on **bilinear pairing**. Our scheme has several desirable ...ieeexplore.ieee.org/iel5/2191/33164/01561965.pdf?arnumber=1561965 - [Similar pages](#)

[More results from ieeexplore.ieee.org]

[Abstract] Efficient Certificateless Public Key Encryption with ...Certificateless public key **encryption**; **bilinear pairing**; Key escrow. ... generic series construction model of certificateless public key **encryption** (CL-PKE) ...www.actapress.com/PaperInfo.aspx?PaperID=23663 - [Similar pages](#)**[Paper] Efficient Certificateless Public Key Encryption with Pairing**KEY WORDS Certificateless public key **encryption**; **bilinear pairing**; Key escrow. 1

Introduction Traditionally, a Public Key infrastructure (PKI) is used to ...

www.actapress.com/PDFViewer.aspx?paperId=23663 - [Similar pages](#)**Scalable, Server-Passive, User-Anonymous Timed Release Public Key ...**Scalable, Server-Passive, User-Anonymous Timed Release Public Key **Encryption** from**Bilinear Pairing** (2004) (Make Corrections) Ian F. Blake, Aldar C-F. Chan ...citeseer.ist.psu.edu/713155.html - 20k - [Cached](#) - [Similar pages](#)**[PDF] Chameleon Signature from Bilinear Pairing**File Format: PDF/Adobe Acrobat - [View as HTML](#)ID-based chameleon hash function based on **bilinear pairing** and build the ... [8] D. Boneh and M. Franklin, Identity-based **encryption** from the Weil **pairing**, ...eprint.iacr.org/2003/238.pdf - [Similar pages](#)**[PS] Scalable, Server-Passive, User-Anonymous Timed Release Public Key ...**File Format: Adobe PostScript - [View as Text](#)Timed Release Public Key **Encryption** from **Bilinear Pairing**. Ian F. Blake, Aldar C-F. Chan. Department of Electrical and Computer Engineering ...eprint.iacr.org/2004/211.ps - [Similar pages](#)

[More results from eprint.iacr.org]

[PS] Practical Identity-Based Encryption in Multi-PKG Environment from ...File Format: Adobe PostScript - [View as Text](#)

In this paper, we present a new identity-based **encryption** (IBE) scheme. using **bilinear pairings**. Our IBE scheme enjoys the same Key Extraction and De- ...
mirror.cr.yp.to/eprint.iacr.org/2007/100.ps - [Similar pages](#)

[PDF] ATTACK ON IDENTITY-BASED BROADCASTING ENCRYPTION SCHEMES*

Introduction

File Format: PDF/Adobe Acrobat

Broadcast **encryption** systems are now more and more popular. A typical ... MSL schemes are based on **bilinear pairing**. Before presenting ...

www.springerlink.com/index/vg842101x3430538.pdf - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

bilinear pairing encryption	Search
-----------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google